

Issue dateMarch 1, 2015Reviewed dateNovember 1, 2023

Safety Data Sheet

SDS ID# 2035 Section 1. IDENTIFICATION 1.1. Product identifier Product form : Mixture Product name : Carbon Dioxide (0.0001%-49.9%); Oxygen (0.0001%-19.49%) in Nitrogen

: Calibration gas/Bumptest gas/Function test gas

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product use

1.3. Details of the supplier of the safety data sheet

Intermountain Specialty Gases 21913 Cobalt Ave. Caldwell, Idaho 83605 Telephone 1-208-585-5829 or Toll free 1-800-552-5003 www.isgases.com

1.4. Emergency telephone number

Emergency number

: CHEMTREC: 1-800-424-9300

Section 2. HAZARDS INDENTIFICATION	
2.1. Classification of the substance or mixture	

Classification : GASES UNDER PRESSURE - Compressed gas

2.2. Label elements Hazard pictograms Signal word : WARNING

Hazard statements: H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED
: OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.
: CGA-HG03 - MAY INCREASE RESPIRATION AND HEART RATEPrecautionary statements[General][General]: Read and follow all Safety Data Sheets (SDS's) before use. Read label before use. Keep
out of reach of children. If medical advice is needed, have a product container or label at
hand. Use equipment rated for cylinder pressure.



	: P261 - Avoid breathing gas, vapors
	: P271+P403- Use only outdoors or in a well-ventilated area
	:CGA-PG05 - Use a back flow preventive device in the piping.
	:CGA-PG10 - Use only with equipment rated for cylinder pressure.
	:CGA-PG06 - Close valve after each use and when empty.
[Response]	:P304+P340+P313 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3. Other hazards	

No additional information available

2.4. Unknown acute toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	30.61 - 99.9998
Oxygen	(CAS No) 7782-44-7	0.0001 - 19.49
Carbon Dioxide	(CAS No) 124-38-9	0.0001 - 49.9

Section 4. FIRST AID MEASURES	
4.1. Description of first aid measures	
General	: IF exposed or concerned: Get medical advice/attention.
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If you
	feel unwell, seek medical advice.
Skin contact	: Adverse effects not expected from this product.
Eye contact	: Adverse effects not expected from this product.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation
	section.

4.2. Most important symptoms and effects

Acute



	· · ·
Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation section.
Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate medical advice/attention.
Symptoms/injuries upon intravenous	: Symptoms of overexposure are dizziness, headache, tiredness, nausea,
administration	unconsciousness, cessation of breathing.
Chronic symptoms	: Adverse effects not expected from this product.
Delayed	: Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASURES	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known

5.2. Special hazards arising from the substance or mixture			
Fire hazard	: The product is not flammable		
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing		
	risk of burns and injuries.		
Reactivity	: None known.		
5.3. Advice for fire-fighters			
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow		
	of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from		
	area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water		
	spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of		
	material or combustion by-products. Stay upwind and keep out of low areas. Exercise		
	caution when fighting any chemical fire.		
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing		
	Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective		
	equipment, including respiratory protection.		

Section 6. ACCIDENTAL RELEASE MEASURES				
6.1. Personal precautions, prot	ective equipment and emergency procedures			
General measures	: Ensure adequate ventilation.			
6.1.1. For non -emergency personnel				
Protective equipment : Wear protective equipment consistent with the site emergency plan.				
Emergency procedures : Escape the danger area by the closest safe route. Close doors and window				
	adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying			
areas. Keep upwind.				



6.1.12. For emergency responders	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing
	Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emergency procedures	: Evacuate and limit access. Ventilate area. See information above "For non-
	emergency personnel".
6.2. Methods and material for cont	ainment and cleaning up
For containment	: Immediately contact emergency personnel. Try to stop gas leak if safe to do so.
Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national,
	and/or international regulations.
Section 7. HANDLING AND STORA	GE
7.1. Precautions for safe handling	
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated
	for cylinder pressure. Do not handle until all safety precautions have been read and
	understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes,
	skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do
	not drag, roll, slide, or drop.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Technical measures	: None known.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep
	containers closed when not in use. Protect cylinder from physical damage. Store in
	well ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

m ~ / m³

Nitrogen (7727-37-9)				
OSH	A PEL	Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
	(as of 4/26/13)	(as of 4/26/13)		
	···· - /··· ³	8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm	mg/m ³	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
There are no specific exposure limits for Nitrogen. Nitrogen is a simple asphyxiant (SA). Oxygen levels				Simple asphyxiant
should be maintained above 19.5%.				
· · · ·				
Oxygen (7782-44-7)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	

nnm

up to 10-hour TWA

8-hour TWA

8-hour TWA



ррш	mg/m	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling

There are no specific exposure limits for Nitrogen. Nitrogen is a simple asphyxiant (SA). Oxygen levels should be maintained above 19.5%.

Carbon Dioxide (124-38-9)				
OSH/	A PEL	Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
	ppm mg/m ³	8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
			(IDHL) Immediately Dangerous	
			to Life or Health	
5,000 ppm 9,000	0.000	5,000 ppm	5,000 ppm	5,000 ppm
	9,000 mg/m ³	(ST) 30,000 ppm	(ST) 30,000 ppm	(ST) 30,000 ppm
			(IDLH) 40,000 ppm	

8.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures	
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.
Respiratory protection	: None necessary during normal and routine operations. See sections 5&6.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section
	13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

Section 9. PHYSICAL AND CHEMICAL PROPERTIES		
9.1. Exposure controls		
Appearance	: Clear, colorless gas.	
Physical state	: Gas	
Color	: Colorless	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable for gas-mixtures.	
Freezing point	: No data available	
EN (English US)	SDS ID# 2035	Page 5 of 1



Flash point	: No c
Evaporation rate	: No c
Flammability (solid, gas)	: Not
Upper flammability	: Not
Lower flammability	: Not
Relative density	: No c
Solubility	: No (
Partition coefficient	: No c
Auto-ignition temperature	: No c
Decomposition temperature	: No c
Viscosity	: Not

No data available
No data available
Not Flammable - not combustible
Not Flammable - not combustible
Not Flammable - not combustible
No data available

	Carbon Dioxide	Oxygen	Nitrogen	
Molecular weight (grams)	44.01	32.00	28.013	
Boiling point	-78.5 °C	-182.9 °C	-196 °C	
Vapor pressure	838 psig (5778	Above critical	Above critical	
	kPa) @ 21.1 °C	temperature	temperature	
Vapor density at 20°C	1.522	1.11	0.97	
Relative gas density	1.839	1.331	1.153	
Critical Temperature	31.1 °C	-118.6 °C	-146.9 °C	

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Due to the presence of Carbon dioxide, Carbonic acid is formed in the presence of moisture.

10.5. Incompatible materials

Carbon dioxide is incompatible with: Certain reactive metals, hydrides, moist cesium monoxide, or lithium acetylene carbide diammino may ignite. Passing carbon dioxide over a mixture of sodium peroxide and aluminum or magnesium may explode. **10.6. Hazardous decomposition products**

None known.

Section 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Nitrogen (7727-37-9)

LC50 inhalation rat (ppm)

410,000 ppm/4h



Oxygen (7782-44-7) LC50 inhalation rat (ppm) 400,000 ppm/4h Carbon dioxide (124-38-9) LC50 inhalation rat (ppm) 470,000 ppm/4h 11.1. Information on routes of exposure Inhalation : Acidosis, adrenal cortical exhaustion, and other metabolic stresses have resulted from prolonged continuous exposure to 1-2% carbon dioxide (10,000 ppm-20,000 ppm-20,00
LC50 inhalation rat (ppm) 470,000 ppm/4h 11.1. Information on routes of exposure Inhalation : Acidosis, adrenal cortical exhaustion, and other metabolic stresses have resulted from prolonged continuous exposure to 1-2% carbon dioxide (10,000 ppm-20,000
LC50 inhalation rat (ppm) 470,000 ppm/4h 11.1. Information on routes of exposure Inhalation : Acidosis, adrenal cortical exhaustion, and other metabolic stresses have resulted from prolonged continuous exposure to 1-2% carbon dioxide (10,000 ppm-20,000
11.1. Information on routes of exposure Inhalation : Acidosis, adrenal cortical exhaustion, and other metabolic stresses have resulted from prolonged continuous exposure to 1-2% carbon dioxide (10,000 ppm-20,000
Inhalation: Acidosis, adrenal cortical exhaustion, and other metabolic stresses have resulted from prolonged continuous exposure to 1-2% carbon dioxide (10,000 ppm-20,000
from prolonged continuous exposure to 1-2% carbon dioxide (10,000 ppm-20,000
ppm). The ACGIH TLV of 5,000 ppm is expected to provide a good margin of safety from asphyxiation and undue metabolic stress provided sufficient oxygen levels are maintained in the air. Increased physical activity, duration of exposure, and decreased oxygen content can affect systemic and respiratory effects resulting from exposure to carbon dioxide.
Skin contact : Adverse effects not expected from this product
Eye contact : Adverse effects not expected from this product
Ingestion : Ingestion is not considered a potential route of exposure, see "Inhalation" above Intravenous administration : Not known
Intravenous administration : Not known
11.2. Symptoms related to physical, chemical and toxicological characteristics
Symptoms Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-deficient atmosphere (<=18%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury or death. Depending on concentration and duration of exposure to carbon dioxide may cause increased respirations, headache, mild narcotic effects, increased blood pressure and pulse, and asphyxiation. Symptoms of overexposure become more apparent when atmospheric oxygen is decreased to 15-17%.
11.3. Delayed and immediate effects
Skin corrosion/irritation : Contact with rapidly expanding gas may cause burns or frostbite.
Serious eye damage/irritation : Contact with rapidly expanding gas may cause burns or frostbite.
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single : Not classified
exposure) Specific target organ toxicity (repeated : Respiratory system, Central vascular system (CVS) exposure)
EN (English US) SDS ID# 2035 Page 7 of



Aspiration hazard

: Not classified

Not applicable for gases and gas-mixtures

11.4. Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Section 12. ECOLOGICAL INFORMATION

12.1. Aquatic Toxicity

Ecology - general

: No ecological damage caused by this product

12.2. Persistence and degradability

No information available for the product

12.3. Bioaccumulative potential

No information available for the product

12.4. Mobility in soil

No information available for the product

12.5. Other

Global warming potential

1 (Carbon dioxide)

Section 13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping	Compressed gas, n.o.s.	Compressed gas, n.o.s.	Compressed gas, n.o.s.	Compressed gas, n.o.s.
name	(Nitrogen, Oxygen) or	(Nitrogen, Oxygen) or	(Nitrogen, Oxygen) or	(Nitrogen, Oxygen) or
	(Carbon Dioxide,	(Carbon Dioxide,	(Carbon Dioxide,	(Carbon Dioxide,
	Nitrogen)	Nitrogen)	Nitrogen)	Nitrogen)
Transport hazard class(es)	2.2 NON FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

Section 15. REGULATORY INFORMATION 15.1. US Federal regulations



SARA 311/312 hazard categories

Acute Health	: Yes
Chronic Health	: No
Fire	: No
Pressure	: Yes
Reactive	: No

This product does not contain toxic chemicals subject to reporting requirements of section 313 of the Emergency planning and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372. SARA 311/312 Sudden Release of Pressure Hazard

15.2. US State regulations

Nitrogen (007727-37-9)	
U.S Massachusetts - Right To Know List	
U.S Minnesota - Right To Know Hazardous Substance List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	
Oxygen (007782-44-7)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	
Carbon Dioxide (124-38-9)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	

Section 16. OTHER INFORMATION			
Date of issue/Date of revision	11/1/2023		
Revision Note			
Hazardous Material Information System (USA)			
Hazard Scale	: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe		
Health	:1		
Fire	: 0		
Physical hazards	: 3		

Key/Legend		
SARA	Superfund Amendments and Reauthorization Act	
OSHA	Occupational Safety and Health Administration	
DOT	Department of Transportation	
TSCA	Toxic Substance Control Act	
NTP	National Toxicology Program	
ACGIH	American Conference of Governmental Industrial Hygienists	
PEL	Permissible Exposure Limit	
EN (English US)	SDS ID# 2035	Page 9 of 1



STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TDG	Transportation of Dangerous Goods
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TWA	Time Weighted Average
Prop	Proposition
ATE	Acute Toxicity Estimate

DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).