

Issue dateMarch 1, 2015Reviewed dateNovember 1, 2023

Safety Data Sheet

	SDS ID# 2040
Section 1. IDENTIFICATIO	IN I
1.1. Product identifier	
Product form	: Mixture
Product name	: Carbon Monoxide (0.0001%-0.1199%) in Air (Oxygen 20.9% bal. Nitrogen)

: Calibration gas/Bumptest gas/Function test gas

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product use

1.3. Details of the supplier of the safety data sheet

Intermountain Specialty Gases 21913 Cobalt Ave. Caldwell, Idaho 83605 Telephone 1-208-585-5829 or Toll free 1-800-552-5003 www.isgases.com

1.4. Emergency telephone numberEmergency number: CHEMTREC: 1-800-424-9300

Classification	: GASES UNDER PRESSURE - Compressed gas
2.2. Label elements	
Hazard pictograms	
Signal word	: WARNING
Hazard statements	: H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED : CGA-HG24 - MAY SUPPORT COMBUSTION : OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL

: Read and follow all Safety Data Sheets (SDS's) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have a product container or label at hand. Use equipment rated for cylinder pressure.

[General]



Carbon Monoxide (0.0001%-0.1199%) in Air (Oxygen 20.9% bal. Nitrogen)

[Prevention]	: P202 - Do not handle until all safety precautions have been read and understood : P271+P403- Use only outdoors or in a well-ventilated area
[Response]	: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	76.3801 - 80.4999
Oxygen	(CAS No) 7782-44-7	19.5 - 23.5
Carbon Monoxide	(CAS No) 630-08-0	0.0001 - 0.1199

Section 4. FIRST AID MEAS	SURES
4.1. Description of first aid	l measures
General	: IF exposed or concerned: Get medical advice/attention.
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If
	breathing has stopped, give artificial respiration or oxygen by trained personnel. If
	victim feels unwell, seek medical advice.
Skin contact	: Immediately flush with copious amount of water for at least 15 minutes.
Eye contact	: Immediately flush with copious amount of water for at least 15 minutes.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation
	section.
4.2. Most important symp	otoms/effects, acute and delayed
Acute	
Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation
	section.
Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate
	medical advice/attention.
EN (English US)	SDS ID# 2040 Page 2 of 1



Carbon Monoxide (0.0001%-0.1199%) in Air (Oxygen 20.9% bal. Nitrogen)

Symptoms/injuries upon intravenous	: Symptoms of overexposure are dizziness, headache, tiredness, nausea,
administration	unconsciousness, cessation of breathing.
Chronic symptoms	: Adverse effects not expected from this product.
Delayed	: Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASURES	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: The product is not flammable
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing
	risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for fire-fighters	
5.3. Advice for fire-fighters Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Exercise caution when fighting any chemical fire.

Section 6. ACCIDENTAL RELEAS	E MEASURES	
6.1. Personal precautions, prote	ective equipment and emergency procedures	
General measures	: Ensure adequate ventilation.	
6.1.1. For non -emergency perso	onnel	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.	,
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and wi	ndows of
	adjacent premises. Keep containers closed. Mark the danger area. Sea	l off low-lying
	areas. Keep upwind.	
6.1.12. For emergency responde	ers	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Bre	athing
	Apparatus) for fire fighters. Equip cleanup crew with proper protection	ก.
Emergency procedures	: Evacuate and limit access. Ventilate area. See information above "Fo	r non-
	emergency personnel".	
6.2. Methods and material for c	ontainment and cleaning up	
For containment	: Immediately contact emergency personnel. Try to stop gas leak if saf	e to do so.
EN (English US)	SDS ID# 2040	Page 3 of 1



Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Section 7. HANDLING AND STORA	GE
7.1. Precautions for safe handling	
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	: None known.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
	··· - / ··· ³	8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm	mg/m ³	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
Not established	Not established	Not established	Not established	Simple asphyxian
xvgen (7782-44-7)				
0xygen (7782-44-7) OSH/	A PEL	Cal/OSHA PEL	NIOSH REL	
	A PEL			ACGIH 2015 TLV
OSH		Cal/OSHA PEL (as of 4/26/13) 8-hour TWA	(as of 4/26/13)	ACGIH 2015 TLV 8-hour TWA
	A PEL mg/m ³	(as of 4/26/13)		8-hour TWA
OSH		(as of 4/26/13) 8-hour TWA	(as of 4/26/13) up to 10-hour TWA	
OSH,	mg/m ³	(as of 4/26/13) 8-hour TWA (ST) STEL (C) Ceiling	(as of 4/26/13) up to 10-hour TWA (ST) STEL	8-hour TWA (ST) STEL (C) Ceiling

OSHA PEL

NIOSH REL

Cal/OSHA PEL



Carbon Monoxide (0.0001%-0.1199%) in Air (Oxygen 20.9% bal. Nitrogen)

	(as of 4/26/13)	(as of 4/26/13)		
		8-hour TWA	up to 10-hour TWA	8-hour TWA
	mg/m ³	(ST) STEL	(ST) STEL	(ST) STEL
ppm	mg/m	(C) Ceiling	(C) Ceiling	(C) Ceiling
			(IDHL) Immediately Dangerous	
			to Life or Health	
50 ppm	55 mg/m^3	25 ppm	35 ppm	25 ppm
	so ing/m	(C) 200 ppm	(C) 200 ppm	
			(IDLH) 1,200 ppm	

8.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures	
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved
	standard if a risk assessment indicates this is necessary.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section
	13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

Section 9. PHYSICAL AND CHEMICAL PROPERTIES		
9.1. Exposure controls		
Appearance	: Clear, colorless gas.	
Physical state	: Gas	
Color	: Colorless	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Freezing point	: No data available	
Flash point	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not Flammable - not combustible	
Upper flammability	: Not Flammable - not combustible	
Lower flammability	: Not Flammable - not combustible	
Relative density	: No data available	
Solubility	: No data available	
Partition coefficient	: No data available	
ENL/English LIC)		



Auto-ignition temperature Decomposition temperature Viscosity

: No data available

: No data available

: Not applicable

	Carbon Monoxide	Oxygen	Nitrogen	
Molecular weight (grams)	58.12	32.00	28.013	
Boiling point	-0.5 °C	-182.9 °C	-196 °C	
Vapor pressure	2200 hPa @ 20	Above critical	Above critical	
	°C	temperature	ure temperature	
Vapor density at 20°C	2.11	1.11	0.97	
Relative gas density	2.52 @ 15 °C	1.331	1.153	
Critical Temperature	152.03 °C	-118.6 °C	-146.9 °C	

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.4. Conditions to avoid

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.5. Incompatible materials			
None known			
10.6. Hazardous decomposition p	10.6. Hazardous decomposition products		
None known			
Section 11. TOXICOLOGICAL INFC	MATION		
Acute toxicity			
Nitrogen (7727-37-9)			
LC50 inhalation rat (ppm)	410,000 ppm/4h		
Ourses (7792.44.7)			
Oxygen (7782-44-7)			
LC50 inhalation rat (ppm)	400,000 ppm/4h		
Carbon Monoxide (630-08-0)			
LC50 inhalation rat (ppm)	3,760 ppm/1h		
LC50 inhalation rat (ppm)	1,807 ppm/4h		



11.1. Information on routes of exposure

Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Adverse effects not expected from this product
Eye contact	: Adverse effects not expected from this product
Ingestion	: Ingestion is not considered a potential route of exposure

11.2. Symptoms related to physical, chemical and toxicological characteristics Symptoms Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-deficient atmosphere (<=18%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury or death.

11.3. Delayed and immediate effects	
Skin corrosion/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Serious eye damage/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Genetic changes observed in mammalian cell assay systems at exposures of 1,500
	to 2,500 ppm of carbon monoxide for 10 minutes
Carcinogenicity	: Not classified
Reproductive toxicity	: Category 1A. Overexposure to carbon monoxide may decrease the likelihood of successful pregnancy. In rats treated with carbon monoxide, the rate of successful pregnancy in the control group was 100% whereas the rest of successful pregnancy in animals treated with 30 and 90 ppm of carbon monoxide was 69% and 38% respectively.
Developmental Toxicity	Mice exposed to concentrations of carbon monoxide at 65 ppm and higher demonstrated doe-dependent effects on the fetus (increased mortality and decreased weight) with no signs of maternal toxicity. Offspring of rats exposed to 150 ppm carbon monoxide had minor reductions in birth weight and persistent memory deficits which became more pronounced in adulthood.
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Genetic changes observed in mammalian cell assay systems at exposures of 1,500
exposure)	to 2,500 ppm of carbon monoxide for 10 minutes
	: Central vascular system (CVS), Lungs, Blood, Central nervous system (CNS)
Aspiration hazard	: Not classified
	Not applicable for gases and gas-mixtures
11.4. Carcinogenic effects	



The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Section 12. ECOLOGICAL INFORMATION

12.1. Aquatic Toxicity

Ecology - general

: No ecological damage caused by this product

12.2. Persistence and degradability

No information available for the product

12.3. Bioaccumulative potential

No information available for the product

12.4. Mobility in soil

No information available for the product

12.5. Other

No information available for the product

Section 13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Oxygen)			
Transport hazard class(es)	2.2 INON FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 HON FLAMMABLE GAS	2.2 NON FLAMMABLE GAS
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

Section 15. REGULATORY INFORMATION

15.1. US Federal regulations

SARA 311/312 hazard categories

: No
: No
: No



Pressure	: Yes	
Reactive	: No	
SARA Title III Notifications and Information: None known		vn
This product does not contain toxic chemicals subject to reporting requirements of section 313 of the Emergency plan		o reporting requirements of section 313 of the Emergency planning
and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372.		
SARA 311/312	Sudden Relea	se of Pressure Hazard

15.2. US State regulations

Nitrogen (007727-37-9)
U.S Massachusetts - Right To Know List
U.S Minnesota - Right To Know Hazardous Substance List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
Oxygen (007782-44-7)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
Carbon Monoxide (630-08-0)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
U.S California Proposition 65 (Developmental)

Section 16. OTHER INFORMATION	
Date of issue/Date of revision	11/1/2023
Revision Note	
Hazardous Material Information Sy	ystem (USA)
Hazard Scale	: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe
Health	: 1
Fire	: 0
Physical hazards	: 3

Key/Legend		
SARA	Superfund Amendments and Reauthorization Act	
OSHA	Occupational Safety and Health Administration	
DOT	Department of Transportation	
TSCA	Toxic Substance Control Act	
NTP	National Toxicology Program	
ACGIH	American Conference of Governmental Industrial Hygienists	
PEL	Permissible Exposure Limit	
STEL	Short Term Exposure Limit	
TLV	Threshold Limit Value	
TDG	Transportation of Dangerous Goods	
EN (English US)	SDS ID# 2040	Page 9 of 1



Carbon Monoxide (0.0001%-0.1199%) in Air (Oxygen 20.9% bal. Nitrogen)

CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TWA	Time Weighted Average
Prop	Proposition
ATE	Acute Toxicity Estimate

DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).