

Issue date March 1, 2015 **Reviewed date** November 1, 2023

Safety Data Sheet

	SDS ID# 2060		
Section 1. IDENTIFICATION			
1.1. Product identifier			
Product form	: Mixture		
Product name	: Carbon Monoxide (0.0001%-0.1199%); Oxygen (0.0001%-19.49%) in Nitrogen		

: Calibration gas/Bumptest gas/Function test gas

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product use

1.3. Details of the supplier of the safety data sheet

Intermountain Specialty Gases 21913 Cobalt Ave. Caldwell, Idaho 83605 Telephone 1-208-585-5829 or Toll free 1-800-552-5003 www.isgases.com

1.4. Emergency telephone number

Emergency number

: CHEMTREC: 1-800-424-9300

Section 2. HAZARDS IN	tion 2. HAZARDS INDENTIFICATION		
2.1. Classification of the	substance or mixture		
Classification	: GASES UNDER PRESSURE - Compressed gas		

2.2. Label elements		
Hazard pictograms		
Signal word	: WARNING	
Hazard statements	: H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED : OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. : OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL	
Precautionary statements [General]	: Read and follow all Safety Data Sheets (SDS's) before use. Read label be out of reach of children. If medical advice is needed, have a product cont	•
EN (English US)	SDS ID# 2060	Page 1 of 1



hand. Use equipment rated for cylinder pressure.

[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Response]	: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
[Prevention]	: P202 - Do not handle until all safety precautions have been read and understood : P271+P403- Use only outdoors or in a well-ventilated area

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	80.3901 - 99.9998
Oxygen	(CAS No) 7782-44-7	0.0001 - 19.49
Carbon Monoxide	(CAS No) 630-08-0	0.0001 - 0.1199

Section 4. FIRST AID MEAS	URES	
4.1. Description of first aid	measures	
General	: IF exposed or concerned: Get medical advice/attention.	
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If	
	breathing has stopped, give artificial respiration or oxygen by trained personnel. If victim feels unwell, seek medical advice.	
Skin contact	: Immediately flush with copious amount of water for at least 15 minutes.	
Eye contact	: Immediately flush with copious amount of water for at least 15 minutes.	
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation	
	section.	
4.2. Most important symp	toms/effects, acute and delayed	
Acute		
Inhalation	: May displace oxygen and cause rapid suffocation.	
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.	
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.	
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation section.	
EN (English US)	SDS ID# 2060 Page 2 of 3	



Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate medical advice/attention.
Symptoms/injuries upon intravenous administration	: Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.
Chronic symptoms Delayed	: Adverse effects not expected from this product. : Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASURES	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known
5.2. Special hazards arising from the s	ubstance or mixture
Fire hazard	: The product is not flammable
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing
	risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for fire-fighters	
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6. ACCIDENTAL RELEASE MEASURES				
equipment and emergency procedures				
: Ensure adequate ventilation.				
: Wear protective equipment consistent with the site emergency plan.				
Emergency procedures : Escape the danger area by the closest safe route. Close doors and wind				
adjacent premises. Keep containers closed. Mark the danger area. Seal off l	low-lying			
areas. Keep upwind.				
: Standard protective clothing and equipment (e.g., Self Contained Breathin	Ig			
Apparatus) for fire fighters. Equip cleanup crew with proper protection.				
: Evacuate and limit access. Ventilate area. See information above "For non	-			
SDS ID# 2060	Page 3 of 1			
	 equipment and emergency procedures Ensure adequate ventilation. Wear protective equipment consistent with the site emergency plan. Escape the danger area by the closest safe route. Close doors and window adjacent premises. Keep containers closed. Mark the danger area. Seal off l areas. Keep upwind. Standard protective clothing and equipment (e.g., Self Contained Breathin Apparatus) for fire fighters. Equip cleanup crew with proper protection. Evacuate and limit access. Ventilate area. See information above "For non" 			

10



	emergency personnel".			
6.2. Methods and material for contain	iment and cleaning up			
For containment	: Immediately contact emergency personnel. Try to stop gas leak if safe to do so.			
Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national,			
	and/or international regulations.			
Section 7. HANDLING AND STORAGE				
7.1. Precautions for safe handling				
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.			
Hygiene measures	: Do not eat, drink or smoke when using this product.			
7.2. Conditions for safe storage, include	ding any incompatibilities			
Technical measures	: None known.			
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.			
Incompatible products	: None known.			
Incompatible materials	: None known.			

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Nitrogen (7727-37-9)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
ppm	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
Not established	Not established	Not established	Not established	Simple asphyxiant

Oxygen (7782-44-7)

OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
ppm	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling

There are no specific exposure limits for Nitrogen. Nitrogen is a simple asphyxiant (SA). Oxygen levels should be maintained above 19.5%.



Carbon Monoxide (630-08-0)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
nnm	mg/m ³	(ST) STEL	(ST) STEL	(ST) STEL
ppm		(C) Ceiling	(C) Ceiling	(C) Ceiling
			(IDHL) Immediately Dangerous	
			to Life or Health	
50 ppm	55 mg/m ³	25 ppm	35 ppm	25 ppm
50 ppm		(C) 200 ppm	(C) 200 ppm	
			(IDLH) 1,200 ppm	

8.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures	
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved
	standard if a risk assessment indicates this is necessary.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section
	13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

Section 9. PHYSICAL AND CHEN	/IICAL PROPERTIES	
9.1. Exposure controls		
Appearance	: Clear, colorless gas.	
Physical state	: Gas	
Color	: Colorless	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Freezing point	: No data available	
Flash point	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not Flammable - not combustible	
Upper flammability	: Not Flammable - not combustible	
Lower flammability	: Not Flammable - not combustible	
EN (English LIC)		Deco C of 1



Relative density	: No data available
Solubility	: No data available
Partition coefficient	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: Not applicable

	Carbon Monoxide	Oxygen	Nitrogen	
Molecular weight (grams)	58.12	32.00	28.013	
Boiling point	-0.5 °C	-182.9 °C	-196 °C	
Vapor pressure	2200 hPa @ 20	Above critical	Above critical	
	°C	temperature	temperature	
Vapor density at 20°C	2.11	1.11	0.97	
Relative gas density	2.52 @ 15 °C	1.331	1.153	
Critical Temperature	152.03 °C	-118.6 °C	-146.9 °C	

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.4. Conditions to avoid

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. TOXICOLOGICAL INFORMATION		
Acute toxicity		
Nitrogen (7727-37-9)		
LC50 inhalation rat (ppm)	410,000 ppm/4h	
Oxygen (7782-44-7)		
LC50 inhalation rat (ppm)	400,000 ppm/4h	
Carbon Monoxide (630-08-0)		



LC50 inhalation rat (ppm)	3,760 ppm/1h
LC50 inhalation rat (ppm)	1,807 ppm/4h

11.1. Information on routes of exposure			
Inhalation	: May displace oxygen and cause rapid suffocation.		
Skin contact	: Adverse effects not expected from this product		
Eye contact	: Adverse effects not expected from this product		
Ingestion	: Ingestion is not considered a potential route of exposure		

11.2. Symptoms related to ph	ysical, chemical and toxicological characteristics
Symptoms	Simple asphyxiant. May cause suffocation by displacing the oxygen in the air.
	Exposure to oxygen-deficient atmosphere (<=18%) may cause dizziness, drowsiness,
	nausea, vomiting, excess salivation, diminished mental alertness, loss of
	consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury or death.

11.3. Delayed and immediate effects		
Skin corrosion/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.	
Serious eye damage/irritation		
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Genetic changes observed in mammalian cell assay systems at exposures	of 1,500
	to 2,500 ppm of carbon monoxide for 10 minutes	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Category 1A. Overexposure to carbon monoxide may decrease the likeliho successful pregnancy. In rats treated with carbon monoxide, the rate of suc pregnancy in the control group was 100% whereas the rest of successful pr animals treated with 30 and 90 ppm of carbon monoxide was 69% and 38% respectively.	ccessful regnancy in
Developmental Toxicity	Mice exposed to concentrations of carbon monoxide at 65 ppm and higher demonstrated doe-dependent effects on the fetus (increased mortality and decreased weight) with no signs of maternal toxicity. Offspring of rats expo ppm carbon monoxide had minor reductions in birth weight and persistent deficits which became more pronounced in adulthood.	d osed to 150
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated	: Genetic changes observed in mammalian cell assay systems at exposures	of 1,500
exposure)	to 2,500 ppm of carbon monoxide for 10 minutes	
	: Central vascular system (CVS), Lungs, Blood, Central nervous system (CNS)
Aspiration hazard	: Not classified	
EN (English US)	SDS ID# 2060	Page 7 of 1



Not applicable for gases and gas-mixtures

11.4. Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Section 12. ECOLOGICAL INFORMATION

12.1. Aquatic Toxicity

Ecology - general

: No ecological damage caused by this product

12.2. Persistence and degradability

No information available for the product

12.3. Bioaccumulative potential

No information available for the product

12.4. Mobility in soil

No information available for the product

12.5. Other

No information available for the product

Section 13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Carbon Monoxide)			
Transport hazard class(es)	2.2 NOW FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 HOW FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

Section 15. REGULATORY INFORMATION

15.1. US Federal regulations

SARA 311/312 hazard categories



Acute Health	: No	
Chronic Health	: Yes	
Fire	. No	
Fire	: No	
Pressure	: Yes	
TTC550TC	. 105	
Reactive	: No	

SARA Title III Notifications and Information: None known

This product does not contain toxic chemicals subject to reporting requirements of section 313 of the Emergency planning
and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372.SARA 311/312Sudden Release of Pressure Hazard

15.2. US State regulations

Nitrogen (007727-37-9)		
U.S Massachusetts - Right To Know List		
U.S Minnesota - Right To Know Hazardous Substance List		
U.S New Jersey - Right To Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right To Know) List		
Oxygen (007782-44-7)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right To Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right To Know) List		
Carbon Monoxide (630-08-0)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right To Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right To Know) List		
U.S California Proposition 65 (Developmental)		

Section 16. OTHER INFORMATION		
Date of issue/Date of revision	11/1/2023	
Revision Note		
Hazardous Material Information System (USA)		
Hazard Scale	: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe	
Health	: 1	
Fire	: 0	
Physical hazards	: 3	

Key/Legend	
SARA	Superfund Amendments and Reauthorization Act
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
TSCA	Toxic Substance Control Act
NTP	National Toxicology Program
ACGIH	American Conference of Governmental Industrial Hygienists
PEL	Permissible Exposure Limit



STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TDG	Transportation of Dangerous Goods
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TWA	Time Weighted Average
Prop	Proposition
ATE	Acute Toxicity Estimate

DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).