

Hexane (0.0001%-0.49% by vol.) in Air (Oxygen 20.9% bal. Nitrogen)

Issue dateMarch 1, 2015Reviewed dateNovember 1, 2023

Safety Data Sheet

104 2005

	SDS ID# 2095		
Section 1. IDENTIFICATI	ON		
1.1. Product identifier			
Product form	: Mixture		
Product name	: Hexane (0.0001%-0.49% by vol.) in Air (Oxygen 20.9% bal. Nitrogen)		

1.2. Relevant identified uses of	^t the substance or mixtu	re and uses advised against

Product use : Calibration gas/Bumptest gas/Function test gas

1.3. Details of the supplier of the safety data sheet

Intermountain Specialty Gases 21913 Cobalt Ave. Caldwell, Idaho 83605 Telephone 1-208-585-5829 or Toll free 1-800-552-5003 www.isgases.com

1.4. Emergency telephone number

Emergency number

: CHEMTREC: 1-800-424-9300

Section 2. HAZARDS INDENTIFICATION			
2.1. Classification of the	substance or mixture		
Classification	: GASES UNDER PRESSURE - Compressed gas		
	REPR. 2		

2.2. Label elements Hazard pictograms	
Signal word	: WARNING
Hazard statements	: H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED : CGA-HG24 - MAY SUPPORT COMBUSTION : H361 - SUSPECTED OF DAMAGING FERTILITY. SUSPECTED OF DAMAGING THE UNBORN CHILD. : OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL
Precautionary statements [General]	: Read and follow all Safety Data Sheets (SDS's) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have a product container or label at

hand. Use equipment rated for cylinder pressure.

[Prevention]	: P202 - Do not handle until all safety precautions have been read and understood : P308+P313 - If exposed or concerned: Get medical advice/attention. : P271+P403- Use only outdoors or in a well-ventilated area
[Response]	: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. : P313 - Get medical advice/attention.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.2 Other hererde	

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	75.9 - 80.4999
Oxygen	(CAS No) 7782-44-7	19.5 - 23.5
Hexane	(CAS No) 110-54-3	0.0001 - 0.60

Section 4. FIRST AID MEASURES	
4.1. Description of first aid measures	
General	: IF exposed or concerned: Get medical advice/attention.
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If
	breathing has stopped, give artificial respiration or oxygen by trained personnel. If
	victim feels unwell, seek medical advice.
Skin contact	: Immediately flush with copious amount of water for at least 15 minutes.
Eye contact	: Immediately flush with copious amount of water for at least 15 minutes.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation
	section.
4.2. Most important symptoms/effect	ts, acute and delayed
Acute	
Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation
	section.
Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate
	medical advice/attention.
Symptoms/injuries upon intravenous	: Not known
administration	
Chronic symptoms	: Adverse effects not expected from this product.
Delayed	: Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASURE 5.1. Extinguishing media	ES
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known
5.2. Special hazards arising from th	e substance or mixture
Fire hazard	: The product is not flammable
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing
	risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for fire-fighters	
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6. ACCIDENTAL RELEASE M	IEASURES
6.1. Personal precautions, protectiv	ve equipment and emergency procedures
General measures	: Ensure adequate ventilation.
6.1.1. For non -emergency personn	el
Protective equipment	: Wear protective equipment consistent with the site emergency plan.
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows of
	adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying
	areas. Keep upwind.
6.1.12. For emergency responders	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing
	Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emergency procedures	: Evacuate and limit access. Ventilate area. See information above "For non-
	emergency personnel".
6.2. Methods and material for cont	ainment and cleaning up
For containment	: Immediately contact emergency personnel. Try to stop gas leak if safe to do so.
Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national,
	and/or international regulations.
Section 7. HANDLING AND STORAC	GE
7.1. Precautions for safe handling	
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated
	for cylinder pressure. Do not handle until all safety precautions have been read and
	understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes,
	skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do
	not drag, roll, slide, or drop.
Hygiene measures	: Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: None known.		
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.		
Incompatible products	: None known.		
Incompatible materials	: None known.		

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Nitrogen (7727-37-9)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
ppm	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
Not established	Not established	Not established	Not established	Simple asphyxiant

Oxygen (7782-44-7)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
ppm	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling

There are no specific exposure limits for Nitrogen. Nitrogen is a simple asphyxiant (SA). Oxygen levels should be maintained above 19.5%.

Hexane (110-54-3)					
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV	
ppm mg,		(as of 4/26/13)	(as of 4/26/13)		
	mg/m ³	8-hour TWA	up to 10-hour TWA	8-hour TWA	
		(ST) STEL	(ST) STEL	(ST) STEL	
		(C) Ceiling	(C) Ceiling	(C) Ceiling	
			(IDHL) Immediately Dangerous		
			to Life or Health		
500 ppm	1,800 mg/m ³	50 ppm	50 ppm	50 ppm	
Soo hhiii					
			(IDLH) 1,100 ppm		

8.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities. Hand protection Eye protection Skin and body protection Respiratory protection

Thermal hazard protection Environmental exposure controls

Other information

: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.

: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.

: Wear suitable protective clothing, e.g.-Lab coats, coveralls or flame resistant clothing.

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

: None necessary during normal and routine operations.

: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Exposure controls	
Appearance	: Clear, colorless gas.
Physical state	: Gas
Color	: Colorless
Odor	: Gasoline-like; odorless
Odor threshold	: No data available
рН	: No data available
Freezing point	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not Flammable - not combustible
Upper flammability	: Not Flammable - not combustible
Lower flammability	: Not Flammable - not combustible
Relative density	: No data available
Solubility	: No data available
Partition coefficient	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: Not applicable

	Hexane	Oxygen	Nitrogen	
Molecular weight (grams)	86.18	32.00	28.013	
Boiling point	-96 °C	-182.9 °C	-196 °C	
Vapor pressure	17.60 kPa @	Above critical	Above critical	
	20 °C	temperature	temperature	
Vapor density at 20°C	2.97	1.11	0.97	
Relative gas density	2.973 @ 15 °C	1.331	1.153	
Critical Temperature	234.5 °C	-118.6 °C	-146.9 °C	

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.4. Conditions to avoid

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Ŭ	
10.5. Incompatible materials	
None known	
10.6. Hazardous decomposition produc	its
None known	
Section 11. TOXICOLOGICAL INFORMA	TION
Acute toxicity	
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	410,000 ppm/4h
Oxygen (7782-44-7)	
LC50 inhalation rat (ppm)	400,000 ppm/4h
Hexane (110-54-3)	
LD50 dermal rabbit (ppm)	3,000 mg/kg
LC50 inhalation rat (ppm)	48,000 ppm/4h
ATE US (dermal)	3,000.00000 mg/kg body weight
ATE US (gases)	48,000.00000 ppmV/4h
11.1. Information on routes of exposur	e
Inhalation	: Adverse effects not expected from this product
Skin contact	: Adverse effects not expected from this product
Eye contact	: Adverse effects not expected from this product
Ingestion	: Ingestion is not considered a potential route of exposure
11.2 Sumptoms related to physical, sh	emical and toxicological characteristics
Symptoms	: No information available
Symptoms	
11.3. Delayed and immediate effects	
Skin corrosion/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Serious eye damage/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility. Suspected of damaging the unborn child.
Developmental Toxicity	: Not classified
Specific target organ toxicity (single	: Not classified
exposure)	
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified
	Not applicable for gases and gas-mixtures

11.4. Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Ecology - general

Hexane (110-54-3) LC fish 1

2.1 - 2.98 mg/l (exposure time: 96 h - Species: Pimephales promelas [flow-through])

12.2. Persistence and degradability

No information available for the product

12.3. Bioaccumulative potential

No information available for the product

12.4. Mobility in soil

No information available for the product

12.5. Other

No information available for the product

Section 13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Oxygen)			
Transport hazard class(es)	2.2 RON-FLAMMABLE GAS	2.2	2.2	2.2
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

Section 15. REGULATORY INFORMATION

15.1. US Federal regulations

SARA 311/312 hazard categories

Acute Health	: No
Chronic Health	: No
Fire	: No
Pressure	: Yes
Reactive	: No
SARA Title III Notifications and Inform	ation: None known
SARA Section 313 - Emission Reportin	g 1.0%
SARA 311/312	Sudden Release of Pressure Hazard

Nitrogen (007727-37-9)		
U.S Massachusetts - Right To Know List		
U.S Minnesota - Right To Know Hazardous Substance List		
U.S New Jersey - Right To Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right To Know) List		
Oxygen (007782-44-7)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right To Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right To Know) List		
Hexane (110-54-3)		
U.S Massachusetts - Right To Know List		
U.S New Jersey - Right To Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right To Know) List		

Section 16. OTHER INFORMATION			
Date of issue/Date of revision	11/1/2023		
Revision Note			
Hazardous Material Information System (USA)			
Hazard Scale	: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe		
Health	: 2		

: 0

Physical hazards	: 3
Key/Legend	
SARA	Superfund Amendments and Reauthorization Act
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
TSCA	Toxic Substance Control Act
NTP	National Toxicology Program
ACGIH	American Conference of Governmental Industrial Hygienists
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TDG	Transportation of Dangerous Goods
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TWA	Time Weighted Average
Prop	Proposition
ATE	Acute Toxicity Estimate
Repr. 2	Reproductive toxicity Category 2

DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES

Fire

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).