

Issue date March 1, 2015 Reviewed date November 1, 2023

Safety Data Sheet

SDS ID# 3050 Section 1. IDENTIFICATION 1.1. Product identifier Image: Colspan="2">Product form Product form : Mixture Product name : Methane (0.0001%-3.0%); Oxygen (0.0001%-19.49%) in Nitrogen

: Calibration gas/Bumptest gas/Function test gas

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product use

1.3. Details of the supplier of the safety data sheet

Intermountain Specialty Gases 21913 Cobalt Ave. Caldwell, Idaho 83605 Telephone 1-208-585-5829 or Toll free 1-800-552-5003 www.isgases.com

1.4. Emergency telephone numberEmergency number: CHEMTREC: 1-800-424-9300

Section 2. HAZARDS INDENTIFICATION		
2.1. Classification of the	substance or mixture	
Classification	: GASES UNDER PRESSURE - Compressed gas	
	Simple asphyxiant - Yes	

2.2. Label elements	
Hazard pictograms	
Signal word	: WARNING
Hazard statements	: H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED
	: OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.
	: OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL
Precautionary statements	
[General]	: Read and follow all Safety Data Sheets (SDS's) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have a product container or label at hand. Use equipment rated for cylinder pressure.
EN (English US)	SDS ID# 3050 Page 1



[Prevention]	: P202 - Do not handle until all safety precautions have been read and understood : P308+P313 - If exposed or concerned: Get medical advice/attention. : P271+P403- Use only outdoors or in a well-ventilated area
[Response]	: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. : P313 - Get medical advice/attention.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3. Other hazards	

No additional information available

2.4. Unknown acute toxicity

No data available

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	77.51 - 99.9998
Oxygen	(CAS No) 7782-44-7	0.0001 - 19.49
Methane	(CAS No) 74-82-8	0.0001 - 3.0

Section 4. FIRST AID MEASUR	RES		
4.1. Description of first aid me	easures		
General	: IF exposed or concerned: Get medical advice/attention.		
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for brea	thing. If	
	breathing has stopped, give artificial respiration or oxygen by trained pe	rsonnel. If	
	victim feels unwell, seek medical advice.		
Skin contact	: Immediately flush with copious amount of water for at least 15 minute	s.	
Eye contact	: Immediately flush with copious amount of water for at least 15 minute	s.	
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the i	: Ingestion is not considered a potential route of exposure, refer to the inhalation	
	section.		
4.2. Most important sympton	ns/effects, acute and delayed		
Acute			
Inhalation	: May displace oxygen and cause rapid suffocation.		
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.		
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.		
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the i	nhalation	
EN (English US)	SDS ID# 3050	Page 2 o	



Frostbite	section. : Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate medical advice/attention.
Symptoms/injuries upon intravenous administration	: Not known
Chronic symptoms	: Adverse effects not expected from this product.
Delayed	: Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASURES 5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known
5.2. Special hazards arising from the s	ubstance or mixture
Fire hazard	: The product is not flammable
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing
	risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for fire-fighters	
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

Section 6. ACCIDENTAL RELEASE ME	ASURES	
6.1. Personal precautions, protective	e equipment and emergency procedures	
General measures	: Ensure adequate ventilation.	
6.1.1. For non -emergency personne	l	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.	
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows	of
	adjacent premises. Keep containers closed. Mark the danger area. Seal off lo	ow-lying
	areas. Keep upwind.	
6.1.12. For emergency responders		
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing	5
	Apparatus) for fire fighters. Equip cleanup crew with proper protection.	
Emergency procedures	: Evacuate and limit access. Ventilate area. See information above "For non-	
EN (English US)	SDS ID# 3050	Page 3 of 9



	emergency personnel".
6.2. Methods and material for contain	iment and cleaning up
For containment	: Immediately contact emergency personnel. Try to stop gas leak if safe to do so.
Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national,
	and/or international regulations.
Section 7. HANDLING AND STORAGE	
7.1. Precautions for safe handling	
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inclue	ding any incompatibilities
Technical measures	: None known.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Nitrogen (7727-37-9)				
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
	mg/m ³	(as of 4/26/13)	(as of 4/26/13)	
nnm		8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm		(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
Not established	Not established	Not established	Not established	Simple asphyxiant
NOT ESTUDIISTIEU	NOLESLUDIISHEU			

Oxygen (7782-44-7)

OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
222		8-hour TWA	up to 10-hour TWA	8-hour TWA
ppm	mg/m³	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling

There are no specific exposure limits for Nitrogen. Nitrogen is a simple asphyxiant (SA). Oxygen levels should be maintained above 19.5%.



OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV
		(as of 4/26/13)	(as of 4/26/13)	
ppm	1 3	8-hour TWA	up to 10-hour TWA	8-hour TWA
	mg/m ³	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
				1,000 ppm

8.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures	
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved
	standard if a risk assessment indicates this is necessary.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section
	13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

Section 9. PHYSICAL AND CHEMICAL PROPERTIES		
9.1. Exposure controls		
Appearance	: Clear, colorless gas.	
Physical state	: Gas	
Color	: Colorless	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Freezing point	: No data available	
Flash point	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not Flammable - not combustible	
Upper flammability	: 15%	
Lower flammability	: 5%	
Relative density	: No data available	
Solubility	: No data available	
Partition coefficient	: No data available	
EN (English LIS)		Daga F of



Auto-ignition temperature Decomposition temperature Viscosity

: 580 °C / 1076 °F (Methane)

: No data available

: Not applicable

	Methane	Oxygen	Nitrogen	
Molecular weight (grams)	16.04	32.00	28.013	
Boiling point	-161.49 °C	-182.9 °C	-196 °C	
Vapor pressure	Above critical	Above critical	Above critical	
vapor pressure	temperature	temperature	temperature	
Vapor density at 20°C	0.56	1.11	0.97	
Relative gas density	0.6784 kg/m ³ @ 20 °C	1.331	1.153	
Critical Temperature	-82.1 °C	-118.6 °C	-146.9 °C	

Section 10. STABILITY AND REACTIVITY

10.1. Reactivity

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.4. Conditions to avoid

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.5. Incompatible materials	
None known	
10.6. Hazardous decomposition	products
None known	
Section 11. TOXICOLOGICAL INF	ORMATION
Acute toxicity	
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	410,000 ppm/4h
Oxygen (7782-44-7)	
LC50 inhalation rat (ppm)	400,000 ppm/4h
11.1. Information on routes of e	xposure
Inhalation	: May displace oxygen and cause rapid suffocation.
Skin contact	: Adverse effects not expected from this product
Eye contact	: Adverse effects not expected from this product



Ingestion

: Ingestion is not considered a potential route of exposure

11.2. Symptoms related to physical, chemical and toxicological characteristics

Symptoms

Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-deficient atmosphere (<=18%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury

11.3. Delayed and immediate effects	
Skin corrosion/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Serious eye damage/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Developmental Toxicity	: Not classified
Specific target organ toxicity (single	: Not classified
exposure)	
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified
	Not applicable for gases and gas-mixtures

11.4. Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Section 12. ECOLOGICAL INFORMATI 12.1. Aquatic Toxicity	ION
Ecology - general	: No ecological damage caused by this product
12.2. Persistence and degradability	
No information available for the prod	uct
12.3. Bioaccumulative potential	
No information available for the prod	uct
12.4. Mobility in soil	
No information available for the prod	uct

12.5. Other

No information available for the product



Section 13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Oxygen) or (Nitrogen, Methane)			
Transport hazard class(es)	2.2 INON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

Section 15. REGULATORY INFORMATION

15.1. US Federal regulations

SARA 311/312 hazard categories

Acute Health	: No	
Chronic Health	: No	
Fire	: No	
Pressure	: Yes	
Reactive	: No	
SARA Title III Notifications a	nd Information: None known	
This product does not conta	in toxic chemicals subject to reporting requirements of section 313 of the Er	nergency planning
and Community Right-To-K	ow Act (EPCRA) of 1986 and of 40 CFR 372.	
SARA 311/312	Sudden Release of Pressure Hazard	

15.2. US State regulations

Nitrogen (007727-37-9)	
U.S Massachusetts - Right To Know List	
U.S Minnesota - Right To Know Hazardous Substance List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	
Oxygen (007782-44-7)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	



Methane (74-82-8)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right To Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right To Know) List	

11/1/2023
/stem (USA)
: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe
: 0
: 0
: 3

Key/Legend	
SARA	Superfund Amendments and Reauthorization Act
OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation
TSCA	Toxic Substance Control Act
NTP	National Toxicology Program
ACGIH	American Conference of Governmental Industrial Hygienists
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TDG	Transportation of Dangerous Goods
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TWA	Time Weighted Average
Prop	Proposition
ATE	Acute Toxicity Estimate
Repr. 2	Reproductive toxicity Category 2

DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).