

Issue dateMarch 1, 2015Reviewed dateNovember 1, 2023

## **Safety Data Sheet**

 SDS ID# 3080

 Section 1. IDENTIFICATION

 1.1. Product identifier

 Product form
 : Mixture

 Product name
 : Pentane (0.0001%-0.75%) in Air (Oxygen 20.9% bal. Nitrogen)

: Calibration gas/Bumptest gas/Function test gas

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product use

### **1.3.** Details of the supplier of the safety data sheet

Intermountain Specialty Gases 21913 Cobalt Ave. Caldwell, Idaho 83605 Telephone 1-208-585-5829 or Toll free 1-800-552-5003 www.isgases.com

# **1.4. Emergency telephone number**Emergency number: CHEMTREC: 1-800-424-9300

 

 Section 2. HAZARDS INDENTIFICATION

 2.1. Classification of the substance or mixture

 Classification
 : GASES UNDER PRESSURE - Compressed gas

 2.2. Label elements

 Hazard pictograms

 Signal word
 : WARNING

 Hazard statements
 : H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED : CGA-HG24 - MAY SUPPORT COMBUSTION : OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL

#### Precautionary statements [General]

: Read and follow all Safety Data Sheets (SDS's) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have a product container or label at hand. Use equipment rated for cylinder pressure.



[Prevention]	: P202 - Do not handle until all safety precautions have been read and understood : P271+P403- Use only outdoors or in a well-ventilated area
[Response]	: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
[Storage]	: CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)
[Disposal]	: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity

No data available

### Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	75.75 - 80.4999
Oxygen	(CAS No) 7782-44-7	19.5 - 23.5
Pentane	(CAS No) 109-66-0	0.0001 - 0.75

Section 4. FIRST AID MEAS	URES
4.1. Description of first aid	measures
General	: IF exposed or concerned: Get medical advice/attention.
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If
	breathing has stopped, give artificial respiration or oxygen by trained personnel. If
	victim feels unwell, seek medical advice.
Skin contact	: Immediately flush with copious amount of water for at least 15 minutes.
Eye contact	: Immediately flush with copious amount of water for at least 15 minutes.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation
	section.
4.2. Most important sympt	oms/effects, acute and delayed
Acute	
Inhalation	: Adverse effects not expected from this product.
Skin contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Eye contact	: Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	: Ingestion is not considered a potential route of exposure, refer to the inhalation
	section.
Frostbite	: Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate
	medical advice/attention.
EN (English US)	SDS ID# 3080 Page 2 of



Symptoms/injuries upon intravenous	: Symptoms of overexposure are dizziness, headache, tiredness, nausea,
administration	unconsciousness, cessation of breathing.
Chronic symptoms	: Adverse effects not expected from this product.
Delayed	: Adverse effects not expected from this product.

### 4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

Section 5. FIREFIGHTING MEASURES	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known
5.2. Special hazards arising from the s	substance or mixture
Fire hazard	: The product is not flammable
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing
	risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for fire-fighters	
Firefighting instructions	: In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water
	spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Exercise caution when fighting any chemical fire.

Section 6. ACCIDENTAL RELEASE	MEASURES	
6.1. Personal precautions, protect	tive equipment and emergency procedures	
General measures	: Ensure adequate ventilation.	
6.1.1. For non -emergency persor	nnel	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.	
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windov	vs of
	adjacent premises. Keep containers closed. Mark the danger area. Seal off	low-lying
	areas. Keep upwind.	
6.1.12. For emergency responder	S	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing	ng
	Apparatus) for fire fighters. Equip cleanup crew with proper protection.	
Emergency procedures	: Evacuate and limit access. Ventilate area. See information above "For nor	า-
	emergency personnel".	
6.2. Methods and material for co	ntainment and cleaning up	
For containment	: Immediately contact emergency personnel. Try to stop gas leak if safe to	do so.
EN (English US)	SDS ID# 3080	Page 3 of



Methods for cleaning up	:Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.		
Section 7. HANDLING AND STORA			
7.1. Precautions for safe handling			
Precautions for safety handling	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do not drag, roll, slide, or drop.		
Hygiene measures	: Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage, in	cluding any incompatibilities		
Technical measures	: None known.		
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well ventilated area.		
Incompatible products	: None known.		
Incompatible materials	: None known.		

### Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV	
		(as of 4/26/13)	(as of 4/26/13)		
	···· - /··· <sup>3</sup>	8-hour TWA up to 10-hour TWA		8-hour TWA	
ppm	mg/m <sup>3</sup>	(ST) STEL (ST) STEL		(ST) STEL	
		(C) Ceiling	(C) Ceiling	(C) Ceiling	
Not established	Not established	Not established	Not established	Simple asphyxian	
Not established	Notestablished				
)xygen (7782-44-7)					
	A PEL	Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV	
	A PEL	<b>Cal/OSHA PEL</b> (as of 4/26/13)	NIOSH REL (as of 4/26/13)	ACGIH 2015 TLV	
OSH				ACGIH 2015 TLV 8-hour TWA	
	A PEL mg/m <sup>3</sup>	(as of 4/26/13)	(as of 4/26/13)		
OSH		(as of 4/26/13) 8-hour TWA	(as of 4/26/13) up to 10-hour TWA	8-hour TWA	
ppm	mg/m <sup>3</sup>	(as of 4/26/13) 8-hour TWA (ST) STEL ( C ) Ceiling	(as of 4/26/13) up to 10-hour TWA (ST) STEL	8-hour TWA (ST) STEL ( C ) Ceiling	

OSHA PEL

**NIOSH REL** 

Cal/OSHA PEL

ACGIH 2015 TLV



ppm		(as of 3/1/1989)	(as of 4/26/13)	
		8-hour TWA	up to 10-hour TWA	8-hour TWA
	mg/m <sup>3</sup>	(ST) STEL	(ST) STEL	(ST) STEL
		(C) Ceiling	(C) Ceiling	(C) Ceiling
1 000 ppm	$2.050 m \pi /m^3$	600 ppm	120 ppm	600 ppm
1,000 ppm	2,950 mg/m <sup>3</sup>	750 ppm [15 min]	(IDLH): 1,500 ppm	
			( C ) 610 ppm [15-min]	

#### 8.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

8.3. Individual protection measures	
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.gLab coats, coveralls or flame resistant clothing.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved
	standard if a risk assessment indicates this is necessary.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section
	13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

Section 9. PHYSICAL AND CHEMICAL PROPERTIES			
9.1. Exposure controls			
Appearance	: Clear, colorless gas.		
Physical state	: Gas		
Color	: Colorless		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Freezing point	: No data available		
Flash point	: No data available		
Evaporation rate	: No data available		
Flammability (solid, gas)	: Not Flammable - not combustible		
Upper flammability	: 7.8%		
Lower flammability	: 1.5%		
Relative density	: No data available		
Solubility	: No data available		
Partition coefficient	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		



#### Viscosity

#### : Not applicable

	Pentane	Oxygen	Nitrogen	
Molecular weight (grams)	72.14	32.00	28.013	
Boiling point	36 °C	-182.9 °C	-196 °C	
Vapor pressure	1100 hPa	Above critical	Above critical	
	@38°C	temperature	temperature	
Vapor density at 20°C	2.5	1.11	0.97	
Relative gas density	3.228 kg/m <sup>3</sup> @ 15 °C	1.331	1.153	
Critical Temperature	°C	-118.6 °C	-146.9 °C	

#### Section 10. STABILITY AND REACTIVITY

**10.1. Reactivity** 

No reactivity hazard other than the effects described below.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**10.4.** Conditions to avoid

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.5. Incompatible materials	
None known	
10.6. Hazardous decomposition proc	ducts
None known	
Section 11. TOXICOLOGICAL INFORM	MATION
Acute toxicity	
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	410,000 ppm/4 hours
Oxygen (7782-44-7)	
LC50 inhalation rat (ppm)	400,000 ppm/4 hours
Pentane (109-66-0)	
LC50 inhalation Vapor rat (ppm)	364 g/m3 /4 hours
<b>11.1.</b> Information on routes of expos	sure
Inhalation	: Adverse effects not expected from this product
Skin contact	: Adverse effects not expected from this product



Eye contact Ingestion : Adverse effects not expected from this product : Ingestion is not considered a potential route of exposure

11.2. Symptoms related to	ohysical, chemical and toxicological characteristics
Symptoms	: No information available

11.3. Delayed and immediate effects	
Skin corrosion/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Serious eye damage/irritation	: Contact with rapidly expanding gas may cause burns or frostbite.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Developmental Toxicity	: Not classified
Specific target organ toxicity (single	: Not classified
exposure)	
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified
	Not applicable for gases and gas-mixtures

#### **11.4.** Carcinogenic effects

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

Section 12. ECOLOGICAL INFORMATION		
12.1. Aquatic Toxicity		
Ecology - general	: No ecological damage caused by this product	

## 12.2. Persistence and degradability

No information available for the product

12.3. Bioaccumulative p	otential	
Pentane (109-66-0)		
LogPow	3.45	
BCF	171	
Potential	low	

#### 12.4. Mobility in soil

No information available for the product

#### 12.5. Other

No information available for the product

Section 13. DISPOSAL CONSIDERATIONS



### 13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

#### Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	ΙΑΤΑ
UN #	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping name	Compressed gas, n.o.s. (Nitrogen, Oxygen)			
Transport hazard class(es)	2.2 HOW FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 HOW FLAMMABLE GAS
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

#### Section 15. REGULATORY INFORMATION

**15.1. US Federal regulations** 

#### SARA 311/312 hazard categories

Acute Health	: No	
Chronic Health	: No	
Fire	: No	
Pressure	: Yes	
Reactive	: No	
SARA Title III Notifications and Information: None known		
This product does not contain toxic chemicals subject to reporting requirements of section 313 of the Emergency planning		
and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372.		
SARA 311/312	Sudden Releas	se of Pressure Hazard

#### 15.2. US State regulations

Nitrogen (007727-37-9)
U.S Massachusetts - Right To Know List
U.S Minnesota - Right To Know Hazardous Substance List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
Oxygen (007782-44-7)
U.S Massachusetts - Right To Know List
U.S New Jersey - Right To Know Hazardous Substance List
U.S Pennsylvania - RTK (Right To Know) List
Pentane (109-66-0)



U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right To Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right To Know) List

Section 16. OTHER INFORMATION		
Date of issue/Date of revision	11/1/2023	
Revision Note		
Hazardous Material Information System (USA)		
Hazard Scale	: 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe	
Health	: 0	
Fire	: 0	
Physical hazards	: 3	

SARASuperfund Amendments and Reauthorization ActOSHAOccupational Safety and Health AdministrationDOTDepartment of TransportationTSCAToxic Substance Control ActNTPNational Toxicology ProgramACGIHAmerican Conference of Governmental Industrial HygienistsPELPermissible Exposure LimitSTELShort Term Exposure LimitTLVThreshold Limit ValueTDGTransportation of Dangerous GoodsCASChemical Abstracts ServiceCERCLAComprehensive Environmental Response, Compensation, and Liability ActIMDGInternational Maritime Dangerous GoodsTWATime Weighted AveragePropProposition	Key/Legend	
DOTDepartment of TransportationTSCAToxic Substance Control ActNTPNational Toxicology ProgramACGIHAmerican Conference of Governmental Industrial HygienistsPELPermissible Exposure LimitSTELShort Term Exposure LimitTLVThreshold Limit ValueTDGCamprotation of Dangerous GoodsCASChemical Abstracts ServiceCERCLAComprehensive Environmental Response, Compensation, and Liability ActIMDGInternational Air Transport AssociationTWATime Weighted Average	SARA	Superfund Amendments and Reauthorization Act
TSCAToxic Substance Control ActNTPNational Toxicology ProgramACGIHAmerican Conference of Governmental Industrial HygienistsPELPermissible Exposure LimitSTELShort Term Exposure LimitTLVThreshold Limit ValueTDGTransportation of Dangerous GoodsCASChemical Abstracts ServiceCERCLAComprehensive Environmental Response, Compensation, and Liability ActIMDGInternational Air Transport AssociationTWATime Weighted Average	OSHA	Occupational Safety and Health Administration
NTPNational Toxicology ProgramACGIHAmerican Conference of Governmental Industrial HygienistsPELPermissible Exposure LimitSTELShort Term Exposure LimitTLVThreshold Limit ValueTDGTransportation of Dangerous GoodsCASChemical Abstracts ServiceCERCLAComprehensive Environmental Response, Compensation, and Liability ActIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous GoodsTWATime Weighted Average	DOT	Department of Transportation
ACGIHAmerican Conference of Governmental Industrial HygienistsPELPermissible Exposure LimitSTELShort Term Exposure LimitTLVThreshold Limit ValueTDGTransportation of Dangerous GoodsCASChemical Abstracts ServiceCERCLAComprehensive Environmental Response, Compensation, and Liability ActIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous GoodsTWATime Weighted Average	TSCA	Toxic Substance Control Act
PELPermissible Exposure LimitSTELShort Term Exposure LimitTLVThreshold Limit ValueTDGTransportation of Dangerous GoodsCASChemical Abstracts ServiceCERCLAComprehensive Environmental Response, Compensation, and Liability ActIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous GoodsTWATime Weighted Average	NTP	National Toxicology Program
STELShort Term Exposure LimitTLVThreshold Limit ValueTDGTransportation of Dangerous GoodsCASChemical Abstracts ServiceCERCLAComprehensive Environmental Response, Compensation, and Liability ActIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous GoodsTWATime Weighted Average	ACGIH	American Conference of Governmental Industrial Hygienists
TLVThreshold Limit ValueTDGTransportation of Dangerous GoodsCASChemical Abstracts ServiceCERCLAComprehensive Environmental Response, Compensation, and Liability ActIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous GoodsTWATime Weighted Average	PEL	Permissible Exposure Limit
TDGTransportation of Dangerous GoodsCASChemical Abstracts ServiceCERCLAComprehensive Environmental Response, Compensation, and Liability ActIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous GoodsTWATime Weighted Average	STEL	Short Term Exposure Limit
CASChemical Abstracts ServiceCERCLAComprehensive Environmental Response, Compensation, and Liability ActIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous GoodsTWATime Weighted Average	TLV	Threshold Limit Value
CERCLAComprehensive Environmental Response, Compensation, and Liability ActIATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous GoodsTWATime Weighted Average	TDG	Transportation of Dangerous Goods
IATAInternational Air Transport AssociationIMDGInternational Maritime Dangerous GoodsTWATime Weighted Average	CAS	Chemical Abstracts Service
IMDGInternational Maritime Dangerous GoodsTWATime Weighted Average	CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
TWA Time Weighted Average	ΙΑΤΑ	International Air Transport Association
	IMDG	International Maritime Dangerous Goods
Prop Proposition	TWA	Time Weighted Average
	Prop	Proposition
ATE Acute Toxicity Estimate	ATE	Acute Toxicity Estimate

#### **DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES**

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).