

Issue date March 1, 2015

Reviewed date November 1, 2023

# **Safety Data Sheet**

**SDS ID# 5045** 

#### **Section 1. IDENTIFICATION**

#### 1.1. Product identifier

Product form : Mixture

Product name : Sulfur Dioxide (0.0001%-0.02%) in Nitrogen

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product use : Calibration gas/Bumptest gas/Function test gas

#### 1.3. Details of the supplier of the safety data sheet

**Intermountain Specialty Gases** 

21913 Cobalt Ave.

Caldwell, Idaho 83605

Telephone 1-208-585-5829 or Toll free 1-800-552-5003

www.isgases.com

## 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

## Section 2. HAZARDS INDENTIFICATION

#### 2.1. Classification of the substance or mixture

**Classification** : GASES UNDER PRESSURE - Compressed gas

Simple asphyxiant - Yes

#### 2.2. Label elements

#### **Hazard pictograms**



Signal word : WARNING

Hazard statements : H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED

: OSHA-H01 - MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

: OSHA - PG01 - DO NOT REMOVE THIS PRODUCT LABEL

**Precautionary statements** 

[General] : Read and follow all Safety Data Sheets (SDS's) before use. Read label before use. Keep

out of reach of children. If medical advice is needed, have a product container or label at

hand. Use equipment rated for cylinder pressure.

EN (English US) SDS ID# 5045 Page 1 of 9



[Prevention] : P202 - Do not handle until all safety precautions have been read and understood

: P308+P313 - If exposed or concerned: Get medical advice/attention.

: P271+P403- Use only outdoors or in a well-ventilated area

[Response] : P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

: P313 - Get medical advice/attention.

[Storage] : CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)

[Disposal] : Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity

No data available

## Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	%
Nitrogen	(CAS No) 7727-37-9	99.98 - 99.999
Sulfur dioxide	(CAS No) 7446-09-5	0.0001 - 0.2

#### Section 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

General : IF exposed or concerned: Get medical advice/attention.

Inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. If

breathing has stopped, give artificial respiration or oxygen by trained personnel. If

victim feels unwell, seek medical advice.

Skin contact : Immediately flush with copious amount of water for at least 15 minutes.

Eye contact : Immediately flush with copious amount of water for at least 15 minutes.

Ingestion : Ingestion is not considered a potential route of exposure, refer to the inhalation

section.

## 4.2. Most important symptoms/effects, acute and delayed

#### Acute

Inhalation : May displace oxygen and cause rapid suffocation.

Skin contact : Contact with rapidly expanding gas may cause burns or frostbite.

Eye contact : Contact with rapidly expanding gas may cause burns or frostbite.

Ingestion : Ingestion is not considered a potential route of exposure, refer to the inhalation

section.

EN (English US) SDS ID# 5045 Page 2 of 9



Frostbite : Thaw frosted parts with lukewarm water. Do not rub affected areas. Get immediate

medical advice/attention.

Symptoms/injuries upon intravenous

administration

: Not known

Chronic symptoms : Adverse effects not expected from this product.

Delayed : Adverse effects not expected from this product.

## 4.3. Indication of any immediate medical attention and special treatment needed

If victim feels unwell, seek medical advice. If breathing is difficult, give artificial respiration or oxygen by trained personnel.

#### Section 5. FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing

risk of burns and injuries.

Reactivity : None known.

#### 5.3. Advice for fire-fighters

Firefighting instructions : In case of fire: Evacuate all personnel from the danger area. Stop the leak and flow

of gas before extinguishing fire, if safe to do so. If this is not possible, withdraw from area and allow fire to burn. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Let the fire burn. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Exercise

caution when fighting any chemical fire.

Protection during firefighting : Standard protective clothing and equipment (e.g., Self Contained Breathing

Apparatus, SCBA) for fire fighters. Do not enter fire area without proper protective

equipment, including respiratory protection.

## Section 6. ACCIDENTAL RELEASE MEASURES

## **6.1.** Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation.

6.1.1. For non -emergency personnel

Protective equipment : Wear protective equipment consistent with the site emergency plan.

Emergency procedures : Escape the danger area by the closest safe route. Close doors and windows of

adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying

areas. Keep upwind.

6.1.12. For emergency responders

Protective equipment : Standard protective clothing and equipment (e.g., Self Contained Breathing

Apparatus) for fire fighters. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate and limit access. Ventilate area. See information above "For non-

emergency personnel".

EN (English US) SDS ID# 5045 Page 3 of 9



## 6.2. Methods and material for containment and cleaning up

For containment : Immediately contact emergency personnel. Try to stop gas leak if safe to do so. Methods for cleaning up

:Dispose of content and/or container in accordance with local, regional, national,

and/or international regulations.

#### Section 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Precautions for safety handling : Pressurized container: Do not pierce or burn, even after use. Use equipment rated

> for cylinder pressure. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Protect cylinders from physical damage; do

not drag, roll, slide, or drop.

: Do not eat, drink or smoke when using this product. Hygiene measures

## 7.2. Conditions for safe storage, including any incompatibilities

: None known. Technical measures

Storage conditions : Do not expose to temperatures exceeding 52°C (125°F). Store locked up. Keep

> containers closed when not in use. Protect cylinder from physical damage. Store and use away from heat, sparks, open flame or any other ignition source. Store in well

ventilated area.

Incompatible products : None known. Incompatible materials : None known.

### Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Nitrogen (7727-37-9)					
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV	
ppm mg/m³	(as of 4/26/13)	(as of 4/26/13)			
	mg/m³	8-hour TWA	up to 10-hour TWA	8-hour TWA	
		(ST) STEL	(ST) STEL	(ST) STEL	
		( C ) Ceiling	( C ) Ceiling	( C ) Ceiling	
Not established	Net established	Not established	Not established	Simple asphyxiant	
NOL ESTUDIISHEU	Not established				

Sulfur Dioxide (7446-09-5)					
OSHA PEL		Cal/OSHA PEL	NIOSH REL	ACGIH 2015 TLV	
		(as of 4/26/13)	(as of 4/26/13)		
			up to 10-hour TWA		
ppm mg/m <sup>3</sup>	mg/m <sup>3</sup>	8-hour TWA	(ST) STEL	8-hour TWA	
		(ST) STEL	(C) Ceiling	(ST) STEL	
		( C ) Ceiling	IDHL	(C) Ceiling	
5 ppm	13 mg/m <sup>3</sup>	2 ppm	2 ppm	(ST) 0.25 ppm	
		(ST) 5 ppm	(ST) 5 ppm		
			IDHL 100 ppm		



### 3.2. Appropriate engineering controls

Engineering measures/controls

: Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly check for leakages. Ensure exposure is below occupational exposure limits. Oxygen detectors should be used when asphyxiating gases may me released. Consider work permit system e.g. for maintenance activities.

### 8.3. Individual protection measures

: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection. Hand protection : Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection. Eye protection Skin and body protection : Wear suitable protective clothing, e.g.-Lab coats, coveralls or flame resistant clothing.

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved

standard if a risk assessment indicates this is necessary.

Thermal hazard protection : None necessary during normal and routine operations.

Environmental exposure controls : Refer to local regulations for restriction of emissions to the atmosphere. See section

13 for specific methods for waste gas treatment.

Other information : Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection

## Section 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Exposure controls

: Clear, colorless gas. **Appearance** 

Physical state : Gas Color : Colorless

Odor : Odorless to pungent

Odor threshold : 0.1 - 3 ppm (Sulfur Dioxide)

: No data available рΗ Freezing point : No data available Flash point : No data available : No data available Evaporation rate

Flammability (solid, gas) : Not Flammable - not combustible : Not Flammable - not combustible Upper flammability : Not Flammable - not combustible Lower flammability

Relative density : No data available Solubility : No data available Partition coefficient : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : Not applicable

Roiling	noint
KAIIING	noint

Wolcealar Weight (Brains)	<b>0</b>	20.013	
Boiling point	-10 °C	-196 °C	
Vanor processiro	2200 hp. @20 °C	Above critical	

**Sulfur Dioxide** 

64 06

EN (English US)

SD9	S ID# 5045	Page 5 of 9

Nitrogen



vapor pressure	SZOO HF 8@ZO C	temperature	
Vapor density at 20°C	2.26	0.97	
Relative gas density	2.697 @ 20 °C	1.153	
Critical Temperature	157.4 °C	-146.9 °C	

## Section 10. STABILITY AND REACTIVITY

#### 10.1. Reactivity

No reactivity hazard other than the effects described below.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Sulfur dioxide will react with water or moist air to form sulfurous acid.

#### 10.4. Conditions to avoid

Contact with incompatible materials.

#### 10.5. Incompatible materials

Sulfur dioxide is not compatible with strong bases, strong oxidizers, powdered metals, metal oxides, interhalogens, metal acetylides, sodium hydride, silver azide, cesium azide, fluorine, zinc, zinc compounds.

## 10.6. Hazardous decomposition products

Sulfur dioxide will react with water or moist air to form sulfurous acid.

## Section 11. TOXICOLOGICAL INFORMATION

**Acute toxicity** 

## Nitrogen (7727-37-9)

LC50 inhalation rat (ppm) 410,000 ppm/4h

## Sulfur Dioxide (7446-09-5)

LC<sub>LO</sub> inhalation rat (ppm) 993 ppm / 20 minutes LC<sub>LO</sub> inhalation rat (ppm) 611 ppm / 5 hours

## 11.1. Information on routes of exposure

Inhalation : May displace oxygen and cause rapid suffocation.

Skin contact : Adverse effects not expected from this product

Eye contact : May cause irritation.

Ingestion : Ingestion is not considered a potential route of exposure

### 11.2. Symptoms related to physical, chemical and toxicological characteristics

Symptoms : No information available

## 11.3. Delayed and immediate effects

Skin corrosion/irritation : Contact with rapidly expanding gas may cause burns or frostbite.

EN (English US) SDS ID# 5045 Page 6 of 9



Serious eye damage/irritation : Contact with rapidly expanding gas may cause burns or frostbite. Sulfur dioxide can

cause irritation at relatively low levels (1-5ppm); however workers may become acclimated even to initially unbearable concentrations (25 ppm). Pure sulfur dioxide

may damage the skin, eyes, and mucous membranes.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

: Respiratory system, eyes, skin

: Not classified

Specific target organ toxicity (repeated : Respiratory system, eyes, skin

exposure)

Aspiration hazard : Not classified

Not applicable for gases and gas-mixtures

### 11.4. Carcinogenic effects

**Developmental Toxicity** 

The components of this material are not found on the following lists: FEDERAL OSHA Z LIST, NTP AND IARC; therefore, they are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

#### Section 12. ECOLOGICAL INFORMATION

#### 12.1. Aquatic Toxicity

No information available for the product

## 12.2. Persistence and degradability

No information available for the product

#### 12.3. Bioaccumulative potential

No information available for the product

## 12.4. Mobility in soil

No information available for the product

## **12.5. Other**

No information available for the product

## Section 13. DISPOSAL CONSIDERATIONS

## 13.1. Disposal methods

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14. TRANSPORATION INFORMATION

	US DOT	TDG	IMDG	IATA
UN#	UN 1956	UN 1956	UN 1956	UN 1956
Proper shipping	Compressed gas, n.o.s.	Compressed gas, n.o.s.	Compressed gas, n.o.s.	Compressed gas, n.o.s.



name	(Nitrogen, Sulfur Dioxide)	(Nitrogen, Sulfur Dioxide)	(Nitrogen, Sulfur Dioxide)	(Nitrogen, Sulfur Dioxide)
Transport hazard class(es)	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS	2.2 NON-FLAMMABLE GAS 2
Packing group	-	-	-	-
Environment	No.	No.	No.	No.

#### **Section 15. REGULATORY INFORMATION**

#### 15.1. US Federal regulations

## SARA 311/312 hazard categories

Acute Health : No
Chronic Health : No
Fire : No
Pressure : Yes
Reactive : No

SARA Title III Notifications and Information: None known

This product does not contain toxic chemicals subject to reporting requirements of section 313 of the Emergency planning and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372.

SARA 311/312 Sudden Release of Pressure Hazard

## 15.2. US State regulations

## Nitrogen (007727-37-9)

U.S. - Massachusetts - Right To Know List

U.S. - Minnesota - Right To Know Hazardous Substance List

U.S. - New Jersey - Right To Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right To Know) List

## Sulfur dioxide (7446-9-5)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right To Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right To Know) List

#### Section 16. OTHER INFORMATION

Date of issue/Date of revision 11/1/2023

**Revision Note** 

#### **Hazardous Material Information System (USA)**

Hazard Scale : 0 = Minimal/ 1 = Slight/ 2 = Moderate/ 3 = Serious/ 4 = Severe

Health : 1
Fire : 0
Physical hazards : 3



## **Key/Legend**

SARA Superfund Amendments and Reauthorization Act
OSHA Occupational Safety and Health Administration

DOT Department of Transportation
TSCA Toxic Substance Control Act
NTP National Toxicology Program

ACGIH American Conference of Governmental Industrial Hygienists

PEL Permissible Exposure Limit
STEL Short Term Exposure Limit
TLV Threshold Limit Value

TDG Transportation of Dangerous Goods

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

TWA Time Weighted Average

Prop Proposition

ATE Acute Toxicity Estimate

Repr. 2 Reproductive toxicity Category 2

#### **DISCLAIMER OF EXPRESSED AND IMPLIED WARRATIES**

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose (s).

EN (English US) SDS ID# 5045 Page 9 of 9